

# VVAKAM



深圳万卡姆科技有限公司

Shenzhen Vvakam Technology CO., Ltd

Add: Block A, Datang Times, Qinghu Street, Longhua District, Shenzhen, China

Website: <http://www.vvakam.com>

<http://vvakam.en.alibaba.com>

Tel/wechat/whatsaap: +0086-15390990208

Email: [info@vvakam.com](mailto:info@vvakam.com)



## HOUSEHOLD KITCHEN MACHINE

CREAT A BETTER LIFE FORE YOU

Shenzhen Vvakam Technology CO., Ltd

## ABOUT VVAKAM


Shenzhen Vvakam Technology CO., Ltd, was founded in 2020. Office based in Shenzhen with a factory in Zhongshan City, Guangdong province. We specialize in small electrical appliances which aim to provide innovative and affordable products. Our products include mincers, ovens, juice grinders, blenders, hand mixers, and more.

Combining a dedicated team for research, development, manufacturing, and sales, our 100+ strong workforces ensure quality production. With certifications like GS, CE, CB, CCC, ETL, and ISO 9001:2015, we're expanding globally to regions like Europe, the Middle East, Africa, Russia, Southeast Asia, and etc.

Committed to credibility, innovation, and customer satisfaction, Vvakam aspire to be a premier household appliances enterprise known for industry innovation and social responsibility.



# Electrical Oven



**01A Series-New**

## BASIC FEATURES:

- 21/23/30/35/45/55/60/80/100 liters capacity
- 110-240V~50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- plastic door frame with double glass
- Can be with 6-20 slices of bread/10-16 inch pizza

## Parameter:

Model NO.	HH-2101A	HH-2501A	HH-3001A	HH-3501A	HH-4501A	HH-5501A	HH-6001A	HH-7001A
Capacity	21L	25L	30L	35L	45L	55L	60L	70L
Power	1200W	1500W	1500W	1600W	1700W	1900W	1900W	2400W
Packing Size	500*406*318MM	500*436*318MM	530*463*360MM	605*469*392MM	622*470*415MM	622*495*465MM	622*495*465MM	677*470*465MM
Loading Qty	1102/982/476pcs	1028/915/445pcs	805/718/353pcs	628/536/276pcs	589/519/255pcs	500/430/202pcs	500/430/202pcs	471/431/206pcs
Model NO.	HH-8001A	HH-10001A						
Capacity	80L	100L						
Power	2400W	2800W						
Packing Size	745*535*481MM	785*575*526MM						
Loading Qty	373/315/155pcs	300/268/131pcs						



**01A-4**



**01A-3**



**02 Series**



## BASIC FEATURES:

- 21/23/30/35/45/50/55/60/65/70 liters capacity
- 110-240V~50/60Hz
- SS heating elements
- LED display
- 60-120 min timer with bell ring
- 100-250°C adjustable temperature
- 3 luxury control knobs
- Can be with 6 slices of bread 10/12/13 inch pizza
- single glass

## OPTION:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirro glass door
- Non-stick coating cavity or self -cleaning coating cavity
- Crumb tray


## Parameter:

Model No.	HH-2102	HH-2302	HH-3002	HH-3502	HH-4502	HH-5002	HH-5502	HH-6002
Capacity	21L	23L	30L	35L	45L	50L	55L	60L
Power	1200W	1200W	1500W	1500W	1700W	1700W	1900W	1900W
Packing Size	500*406*318MM	500*436*318MM	530*463*360MM	530*493*360MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM
Loading Qty	1102/982/476pcs	1028/915/445pcs	805/718/353pcs	805/718/353pcs	766/662/323pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs
Model No.	HH-6502	HH-7002	HH-8002	HH-10002	HH-12002	HH-15002		
Capacity	65L	70L	80L	100L	120L	150L		
Power	2200W	2400W	2400W	2800W	2800W	2800W		
Packing Size	677*470*465MM	677*470*465MM	745*535*481MM	785*575*526MM	785*605*526MM	915*648*530MM		
Loading Qty	471/431/206pcs	471/431/206pcs	373/315/155pcs	300/268/131pcs	288/258/125pcs	220/195/97pcs		






08 series

**BASIC FEATURES:**

- 45/50 literes capacity
- 110-240V~50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- 3 luxury control knobs
- Can be with 9/12 slices of bread/12/13 inch pizza

**Parameter:**

Model No.	HH-4508	HH-5008
Capacity	45L	50L
Power	1700W	1700W
Packing Size	622*470*415MM	622*495*415MM
Loading Qty	589/519/255pcs	552/482/230pcs



10 Series

**BASIC FEATURES:**

- 38/45/50/55/60/65/70/80/100/120/150 literes capacity
- 110-240V~50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-250°C adjustable temperature
- 3-4-5 luxury control knobs
- Can be with 6/9/12 slices of bread/10/12 inch pizza

**OPTION:**

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirro glass door
- Non-stick coating cavity or self -cleaning coating cavity
- Crumb tray

**Parameter:**

Model NO.	HH-3810	HH-4510	HH-5010	HH-5510	HH-6010	HH-6510	HH-7010	HH-8010
Capacity	38L	45L	50L	55L	60L	65L	70L	80L
Power	1600W	1700W	1700W	1900W	1900W	2200W	2400W	2400W
Packing Size	580*415*380MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM	677*470*465MM	677*470*465MM	745*535*481MM
Loading Qty	788/700/343pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs	471/431/206pcs	471/431/206pcs	373/315/155pcs
Model NO.	HH-10010	HH-12010	HH-15010					
Capacity	100L	120L	150L					
Power	2800W	2800W	2800W					
Packing Size	785*575*526MM	785*605*526MM	915*648*530MM					
Loading Qty	300/268/131pcs	288/258/125pcs	220/195/97pcs					





Electric Oven

**BASIC FEATURES:**

- 28/40/48L capacity
- 110~240V, 50/60Hz
- 60/120 minutes timer with bell ring
- 100-250°C temperature selector
- 4 stages of switch heating elements
- 4 stainless steel heating elements
- White or black housing and aluminum cavity
- Double glass

**Parameter:**

Model No.	LITER	PACKING DIMENSION	40'HQ	40'GP	20'GP
HKBA2-48	48L	662x450x420mm	588	505	242
HKBA2-40	40L	605x465x392mm	650	587	286
HKBA2-28	28L	510x400x357mm	985	874	418

**OPTION:**

- Rotisserie function
- Convection function
- Inner oven lamp
- Double hot plate: φ185mm 1200w/ φ155mm 600w
- Stainless steel housing or other paintings
- Mirro glass door
- Non-stick coating cavity or self -cleaning coating cavity
- Crumb tray



Mini oven

**BASIC FEATURES:**

- 7/10 liters capacity
- 110-240V~50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- 2 luxury control knobs

**Parameter:**

Model No.	HH-701	HH-1001
Capacity	7L	10L
Power	450W	550W
Packing Size	365*245*228MM	375*290*233MM
Loading Qty	3126pcs/40HQ	2793psc/2539psc/1239psc



# Coffee Grinder



CG11

Product Size	Giftbox Size	Carton Box Size
128*203*342mm	238*154*382mm	495*327*395mm
20GP	40FT	40HQ
1812	3640	4216



CG101

Product Size	Giftbox Size	Carton Box Size
126*173*281mm	208*153*213mm	479*435*325mm
20GP	40FT	40HQ
2544	5276	6012

## BASIC FEATURES:

- Even: coffee powder it grinds, coffee particle size<0.425mm over 95%;
- Convenient: with 51mm/58mm portal filter holder, save time to prepare one shot coffee;
- Quiet: working noise <72DB
- Stable: belt driven system offers stable power to grind every bean in finest;
- 500rpm low grinding speed, reduces both static and heat build-up;
- Stainless steel housing;
- 40mm Stainless steel conical burr;
- 180W powerful DC motor;
- 52 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 320g coffee bean holder capacity;
- 130g ground coffee jug capacity;
- Anti Static technology
- Digital touch control

## BASIC FEATURES:

- Patent: Zero retention, power remain<0.5g, the LESS powder remains, the MORE fresh coffee flavor you enjoy;
- Patent: Even grinded particle size, good for pour over coffee;
- Patent: Anti Static technology offers mess-free, stress-free coffee grounds;
- Thin enough powder for commercial espresso maker, particle size<0.425mm over 90% ;
- Digital control;
- 180W powerful DC motor;
- 40mm Stainless steel conical burr;
- 34 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 210g coffee bean holder capacity;
- 100g ground coffee jug capacity;
- Low grinding speed, reduces both static and heat build-up;
- 2 in 1 body design avoids powder hidden in gap



CG160

Product Size	Giftbox Size	Carton Box Size
130*175*315mm	210*158*346mm	494*439*359mm
20GP	40FT	40HQ
2274	4680	5280

## BASIC FEATURES:

- Patent: Zero retention, power remain<0.5g, the LESS powder remains, the MORE fresh coffee flavor you enjoy;
- Patent: Even grinded particle size, good for pour over coffee;
- Patent: Anti Static technology offers mess-free, stress-free coffee grounds;
- Thin enough powder for commercial espresso maker, particle size<0.425mm is over 95% ;
- Digital control;
- 180W powerful DC motor;
- 40mm Stainless steel conical burr;
- 34 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 210g coffee bean holder capacity;
- 100g ground coffee jug capacity;
- Low grinding speed, reduces both static and heat build-up;
- 2 in 1 body design avoids powder hidden in gap;



CG161

Product Size	Giftbox Size	Carton Box Size
130*175*315mm	210*158*346mm	494*439*359mm
20GP	40FT	40HQ
2274	4680	5280

## BASIC FEATURES:

- Patent: Zero retention, power remain<0.5g, the LESS powder remains, the MORE fresh coffee flavor you enjoy;
- Patent: Even grinded particle size, good for pour over coffee;
- Patent: Anti Static technology offers mess-free, stress-free coffee grounds;
- Thin enough powder for commercial espresso maker, particle size<0.425mm is over 95% ;
- Digital control;
- 180W powerful DC motor;
- 40mm Stainless steel conical burr;
- 34 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 210g coffee bean holder capacity;
- 100g ground coffee jug capacity;
- Low grinding speed, reduces both static and heat build-up;
- 2 in 1 body design avoids powder hidden in gap;



CG180

Product Size	Giftbox Size	Carton Box Size
184*132*363mm	219*160*394mm	500*455*407mm
20GP	40FT	40HQ
2004	4110	4704

**BASIC FEATURES:**

- Even: coffee powder it grinds, coffee particle size<0.425mm over 95%;
- Convenient: with 51mm/58mm portal filter holder, save time to prepare one shot coffee;
- Quiet: working noise <72DB, prepare one cup of coffee in the morning without disturbing family;
- Stable: belt driven system offers stable power to grind every bean in finest;
- 500rpm low grinding speed, reduces both static and heat build-up;
- Stainless steel housing;
- 40mm Stainless steel conical burr;
- 180W powerful DC motor;
- 34 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 320g coffee bean holder capacity;
- 130g ground coffee jug capacity;
- Anti Static technology
- Digital touch control



CG200

Product Size	Giftbox Size	Carton Box Size
126*175*354mm	210*153*385mm	480*439*398mm
20GP	40FT	40HQ
2082	4470	5250

**BASIC FEATURES:**

- Patent: Zero retention, power remain<0.5g, the LESS powder remains, the MORE fresh coffee flavor you enjoy;
- Patent: Even grinded particle size, good for pour over coffee;
- Patent: Anti Static technology offers mess-free, stress-free coffee grounds;
- Thin enough powder for commercial espresso maker, particle size<0.425mm is over 95% ;
- Digital control;
- 180W powerful DC motor;
- 40mm Stainless steel conical burr;
- 34 grind settings provides levels from highly coarse to espresso to Turkish fine;
- 210g coffee bean holder capacity;
- 100g ground coffee jug capacity;
- Low grinding speed, reduces both static and heat build-up;
- 2 in 1 body design avoids powder hidden in gap;

**Pressure cooker****BASIC FEATURES:**

- 5L 900W/ 6L 1000W
- 220~240V, 50~60Hz, Computer type
- 410 s/s housing, all plastic pot lid
- Button controller
- Optional colors
- Intelligent control technology, it can save 30%~50% energy than normal cooker
- Multi-function options: bean, porridge, soup, rice, chicken, meat, tendon, mutton Nutrition can be kept because of it cooks at 110 °C
- 24 hours preset timer



HH-A521/HH-A621



HH-B512/HH-B612

**BASIC FEATURES:**

- 5L 900W/ 6L 1000W
- Mecanical type
- 410 s/s housing , all -plastic pot lid
- Knob controller
- Optional colors
- Intelligent control technology, it can save 30%~50% energy than normal cooker
- Multi-function options: bean, porridge, soup, rice, chicken, meat, tendon, mutton Nutrition can be kept because of it cooks at 110 °C
- 24 hours preset timer

**HH-A501/HH-A601**

5L 900W / 6L 1000W

**HH-A402/HH-A502/HH-A602**

4L 800W / 5L 900W / 6L 1000W

**HH-B517/HH-B617**

5L 900W / 6L 1000W

**Parameter:**

Voltage Power	Inner pot	Description	Gift Box Size (mm)	Carton Size (mm)	Option Capacity (L)	PCS/CTN	20'	40HQ
AC 220-240V 50/60Hz	1) Double Non-stick Coating 2) Aluminium inner pot	1) Computer type 2) 410 s/s housing 3) Button controller 4) Optional colors 5) Intelligent control technology, it can save 30%~50% energy than normal cooker 6) Multi-function options: bean, porridge, soup, rice, chicken, meat, tendon, mutton Nutrition can be kept because of it cooks at 110 °C 7) 24 hours preset timer	290*290*320	600*310*335	2	2	920	2184
					2.5			
			295*295*340	615*315*355	4	2	920	1862
			310*310*340	635*320*360	5	2	750	1810
			310*310*352	635*320*370	6	2	750	1810
			355*355*395	730*375*415	8	2	576	1152
			380*380*390		10	1	540	1116
			380*380*415		12	1	540	1116

**HH-B501/HH-B601**

5L 900W / 6L 1000W

**HH-A515/HH-A615**

5L 900W / 6L 1000W

**HH-A519/HH-A619**

5L 900W / 6L 1000W

**Juice Blender****LH-616****BASIC FEATURES:**

- 400W, 110-120V/220-240V.50/60Hz
- stainless steel and plastic housing
- Motor 7020/7025
- 65mm internal diameter large feeding tube
- 1 L pomace cup+550ml juice cup
- Speed setting pulse-off-1-2
- With safety switch
- Gift box size:305\*212\*350mm
- Meas(Qty/Ctn): 625\*440\*370mm 4pcs
- Loading Qty:1169pcs/20ft; 2338pcs/40ft; 2560pcs/40HQ

**LH-617****BASIC FEATURES:**

- 400W, 110-120V/220-240V.50/60Hz
- stainless steel and plastic housing
- Motor 7020/7025
- 70mm internal diameter large feeding tube
- 1 L pomace cup+550ml juice cup
- Speed setting pulse-off-1-2
- With safety switch
- Gift box size: 290\*215\*315mm
- Meas(Qty/Ctn): 660\*305\*650mm 6pcs
- Loading Qty: 1363pcs/20ft; 2727pcs/40ft; 2987pcs/40HQ

**LH-618****BASIC FEATURES:**

- 400W, 110-120V/220-240V.50/60Hz
- stainless steel and plastic housing
- Motor 7020/7025
- 65mm internal diameter large feeding tube
- 1 L pomace cup+550ml juice cup
- Speed setting pulse-off-1-2
- With safety switch
- Gift box size: 275\*212\*295mm
- Meas(Qty/Ctn): 655\*290\*610mm 6pcs
- Loading Qty: 1527pcs/20ft; 3054pcs/40ft; 3345pcs/40HQ



LH-619

**BASIC FEATURES:**

- 600W, 110-120V/220-240V, 50/60Hz
- stainless steel and plastic housing
- Motor 8820/8825/8830
- 75mm internal diameter large feeding tube
- 1 L pomace cup+1000ml juice cup
- Speed setting pulse-off-1-2
- With safety switch
- There are LED lights around the switch
- Gift box size: 320\*235\*405mm
- Meas(Qty/Ctn): 655\*485\*425mm 4pcs
- Loading Qty: 832pcs/20ft; 1720pcs/40ft; 2016pcs/40HQ

**BASIC FEATURES:**

- 600W, 110-120V/220-240V, 50/60Hz
- stainless steel and plastic housing
- Motor 8820/8825/8830
- 75mm internal diameter large feeding tube
- 1 L pomace cup+1000ml juice cup
- Speed setting pulse-off-1-2
- With safety switch
- There are LED lights around the switch
- Gift box size: 335\*255\*410mm
- Meas(Qty/Ctn): 685\*525\*430mm 4pcs
- Loading Qty: 416pcs/20ft; 2936pcs/40ft; 3444pcs/40HQ



LH-628



LH-630

**BASIC FEATURES:**

- 800W, 110-120V/220-240V, 50/60Hz
- Motor 8820/8825/8830
- 85mm internal diameter large feeding tube
- S/S juicing filter and S/S housing decoration
- Large capacity of pulp container
- Speed setting pulse-off-1-2
- With safety switch
- There are Led lights around the switch
- Gift box size: 340\*235\*427mm
- Meas(Qty/Ctn): 695\*485\*447mm 4pcs
- Loading Qty: 789pcs/20ft; 1579pcs/40ft; 1729pcs/40HQ



LH-505

**BASIC FEATURES:**

- 250-500W/ 110~120V/220~240V, 50/60Hz
- 3 in 1 stand blender
- Motor: 7025
- Multi-function:blender, coffee grinder, mincer,soybean milk
- 1500ml mixing cup, 450ml chopping cup, 250ml grinding cup
- high quality S/S blade and filter
- Speed setting: pulse-off-1-2
- blender jar with measuring cup for easy refill
- Plastic body, detachable and easy clean
- Non-slip feet, steady operation
- Gift box size: 365\*160\*255m
- Meas(QTY/Ctn): 660\*380\*530mm 8pcs
- Loading Qty: 1888pcs/20ft; 3840pcs/40ft; 4280pcs/40HQ

**BASIC FEATURES:**

- 250-500W/ 110~120V/220~240V, 50/60Hz
- 3 in 1 stand blender
- Motor: 7025
- Multi-function:blender, coffee grinder, mincer,soybean milk
- 1500ml mixing cup, 450ml chopping cup, 250ml grinding cup
- high quality S/S blade and filter
- Speed setting: pulse-off-1-2
- blender jar with measuring cup for easy refill
- Plastic body, detachable and easy clean
- Non-slip feet, steady operation
- Gift box size: 370\*165\*255m
- Meas(QTY/Ctn): 680\*385\*530mm 8pcs
- Loading Qty: 1800pcs/20ft; 3616pcs/40ft; 4128pcs/40HQ



LH-510



LH-512

**BASIC FEATURES:**

- 250-500W/ 110~120V/220~240V, 50/60Hz
- 3 in 1 stand blender
- Motor: 7025
- Multi-function:blender, coffee grinder, mincer,soybean milk
- 1500ml mixing cup, 450ml chopping cup, 250ml grinding cup
- high quality S/S blade and filter
- Speed setting: pulse-off-1-2
- blender jar with measuring cup for easy refill
- Plastic body, detachable and easy clean
- Non-slip feet, steady operation
- Gift box size: 370\*165\*255m
- Meas(QTY/Ctn): 680\*385\*530mm 8pcs
- Loading Qty: 1800pcs/20ft; 3616pcs/40ft; 4128pcs/40HQ



LH-818/818S

**BASIC FEATURES:**

- 85W/ 110~120V/220~240V, 50/60Hz
- Stainless steel body 6330 motor
- Original and fresh without addition
- Two-way juicing higher juicer yield
- Split type design for worry saving cleaning
- The press switch simple and safe
- Dust cover design
- fruit dregs stratified
- Gift box size:222\*222\*300mm
- Meas(QTY/Ctn):465\*460\*350mm 8pcs
- Loading QTY:1480PCS/20ft; 3080pcs/40ft; 3600pcs/40HQ



LH-827



LH-828

**BASIC FEATURES:**

- 85W/ 110~120V/220~240V, 50/60Hz
- Stainless steel body 6330 motor
- Original and fresh without addition
- Two-way juicing higher juicer yield
- Split type design for worry saving cleaning
- The press switch simple and safe
- Dust cover design
- fruit dregs stratified
- Gift box size:253\*253\*351mm
- Meas(QTY/Ctn):520\*520\*365mm 8pcs
- Loading QTY:1152PCS/20ft; 2368pcs/40ft; 2752pcs/40HQ

**BASIC FEATURES:**

- 25-40W DC motor/ 110~120V/220~240V, 50/60HZ
- plastic housing(818)/plastic housing with stainless steel trim ring(818s)
- Capacity: 750ml
- Motor: 4420
- Original and fresh without addition
- Two-way juicing higher juicer yield
- the press switch simple and safe
- customizable colors
- Gift box size:165\*165\*208mm
- Meas(QTY/Ctn): 680\*385\*535mm 8pcs
- Loading QTY: 4384PCS/20ft; 9088pcs/40ft; 10656pcs/40HQ

**Meat Grinder**

LH-310



LH-312



LH-323

**BASIC FEATURES:**

- 450-1200w/110~120V/220~240V, 50/60Hz
- #5 grinding tube and aluminum tray(optional plastic tray); Detachable and easy clean
- ABS housing
- S/S thick and sharp cross knife for cutting
- optional 7620/7625/7635 pure copper motor with overheat power-off protection
- Speed: on-off and reverse function
- 3 cutting disc(coarse, medium, fine)
- with food storage pusher, kibble and sausage attachment
- Non-slip feet: one button lock and release
- Gift box size: 440\*190\*250mm
- Meas(Qty/CTN): 590\*455\*520mm 6pcs
- Loading Qty: 1200pcs/20ft; 2486pcs/40ft; 2914pcs/40HQ

**BASIC FEATURES:**

- 450-1200w/110~120V/220~240V, 50/60Hz
- #5 grinding tube and aluminum tray(optional plastic tray); Detachable and easy clean
- ABS housing
- S/S thick and sharp cross knife for cutting
- optional 7620/7625/7635 pure copper motor with overheat power-off protection
- Speed: on-off and reverse function
- 3 cutting disc(coarse, medium, fine)
- with food storage pusher, kibble and sausage attachment
- Non-slip feet: one button lock and release
- Gift box size: 430\*180\*230mm
- Meas(Qty/Ctn): 560\*445\*480mm 6pcs
- Loading Qty: 1400pcs/20ft; 2900pcs/40ft; 3400pcs/40HQ

**BASIC FEATURES:**

- 450-1200W/110~120V/220~240V, 50/60Hz
- #5 grinding tube and aluminum tray(Optional plastic tray)
- Optional 7620/7625 copper motor with overheat power-off protection
- S/S thick and sharp cross knife for cutting
- Speed: On-off and reverse function
- 3 cutting disc(coarse,medium,fine)
- With food storage pusher, meatball and sausage attachment
- Non-slip feet; One button lock and release
- Gift box size: 400\*195\*280mm
- Meas(Qty/Ctn): 605\*415\*585mm 6pcs
- Loading QTY: 1215PCS/20ft; 2429pcs/40ft; 2660pcs/40HQ

**THE STANDARD CONFIGURATION**7mm 5mm 3mm  
SWORD NET × 3  
BLADESAUSAGE STUFFING  
ACCESSORIES**SELECT THE CONFIGURATION**STAINLESS STEEL WIRE  
CUTTING ACCESSORIESKETCHUP  
ACCESSORIES



LH-319

**BASIC FEATURES:**

- 1600-2800W, 110~120V/220~240V, 50/60Hz
- #10 large aluminum grinding tube&tray;detachable and easy clean
- 430 stainless steel housing
- 4450 DC copper motor with overheat power-off protection
- S/S thick and sharp cross knife for cutting
- Speed setting: On-Off and reverse function
- 3 cutting disc(coarse, medium, fine)
- With food pusher, kibble and sausage attachment
- Non-slip feet; one handle lock and release
- Gift box size: 420\*187\*245mm
- Meas(Qty/Ctn): 435\*385\*515mm 6pcs
- Loading Qty: 1300pcs/20ft;2700pcs/40ft; 3160pcs/40H



LH-321

**BASIC FEATURES:**

- 300-800W/110~120V/220~240V,50/60Hz
- #5 grinding tube and aluminum tray(Optional plastic tray), detachable and easy clean
- Optional 7620/7625 copper motor with overheat power-off protection
- S/S thick and sharp cross knife for cutting
- Speed: On-off and reverse function
- 3 cutting disc(coarse,medium,fine)
- With food storage pusher, meatball and sausage attachment
- Non-slip feet; One button lock and release
- Gift box size: 295\*190\*300mm
- Meas(Qty/Ctn): 590\*310\*620mm 6pcs
- Loading QTY: 1482PCS/20ft;3066pcs/40ft; 3600pcs/40HQ



LH-322

**BASIC FEATURES:**

- 300-800W/110~120V/220~240V,50/60Hz
- #5 grinding tube and aluminum tray(Optional plastic tray), detachable and easy clean
- 7620copper motor with overheat power-off protection
- S/S thick and sharp cross knife for cutting
- Speed: On-off and reverse function
- 3 cutting disc(coarse,medium,fine)
- With food storage pusher, meatball and sausage attachment
- Non-slip feet; One button lock and release
- Gift box size: 300\*215\*305mm
- Meas(Qty/Ctn): 660\*315\*625mm 6pcs
- Loading QTY: 1290PCS/20ft;2676pcs/40ft; 3138pcs/40HQ

**THE STANDARD CONFIGURATION**7mm 5mm 3mm  
SWORD NET x 3

BLADE

SAUSAGE STUFFING  
ACCESSORIES**SELECT THE CONFIGURATION**STAINLESS STEEL WIRE  
CUTTING ACCESSORIESKETCHUP  
ACCESSORIES**Chopper****SELECT THE CONFIGURATION**

4 blade



6 blade



Garlic peeler



Beaters



LH-101A/LH-101B



LH-102A/LH-102B

**BASIC FEATURES:**

- 250-300W, 110~120V/220~240V, 50/60Hz
- plastic housing
- 1.2L/2L/3L capacity are optional
- stainless steel or glass bowls are available
- Easy to install and disassemble
- One speed
- S/S 4 or 6 blade optional
- For mincing meat, vegetables, etc
- Optional accessories: garlic peeler, beaters
- Gift box size: 195\*195\*215mm
- Meas(Qty/Ctn): 405\*405\*455mm 8pcs
- Loading Qty: 2800pcs/20ft;5800pcs/40ft;6960pcs/40HQ

**BASIC FEATURES:**

- 250-300W, 110~120V/220~240V, 50/60Hz
- plastic housing
- 1.2L/2L/3L capacity are optional
- stainless steel or glass bowls are available
- Easy to install and disassemble
- One speed
- S/S 4 or 6 blade optional
- For mincing meat, vegetables, etc
- Optional accessories: garlic peeler, beaters
- Gift box size: 310\*210\*170mm
- Meas(Qty/Ctn):635\*435\*360mm 8pcs
- Loading Qty: 2512pcs/20ft;5016pcs/40ft;5696pcs/40HQ



LH-103A/LH-103B

**BASIC FEATURES:**

- 250-300W, 110~120V/220~240V, 50/60Hz
- Plastic and S/S housing optional
- 1.8L AS bowl
- Easy to install and disassemble
- One speed
- S/S 4 or 6 blade optional
- For mincing meat, vegetables, etc
- Optional accessories: garlic peeler, beaters
- Gift box size: 170\*145\*300mm
- Meas(Qty/Ctn):600\*355\*320mm 8pcs
- Loading Qty:  
3600pcs/20ft;7400pcs/40ft;8256pcs/40HQ



LH-104A/LH-104B

**BASIC FEATURES:**

- 250-300W, 110~120V/220~240V, 50/60Hz
- Stainless steel body
- 1.2L/2L/3L capacity are optional
- Easy to install and disassemble
- Two speed
- Food grade 304 stainless steel bowl or glass bowl
- S/S 4 or 6 blade optional
- For mincing meat, vegetables, etc
- Optional accessories: garlic peeler, beaters
- Gift box size: 195\*195\*215mm
- Meas(Qty/Ctn): 405\*405\*450mm 8pcs
- Loading Qty:  
2800pcs/20ft;5800pcs/40ft;6960pcs/40HQ



LH-105A/LH-105B

**BASIC FEATURES:**

- 250-300W, 110~120V/220~240V, 50/60Hz
- Stainless steel body
- 1.2L/2L/3L capacity are optional
- Easy to install and disassemble
- Two speed
- Food grade 304 stainless steel bowl or glass bowl
- S/S 4 or 6 blade optional
- For mincing meat, vegetables, etc
- Optional accessories: garlic peeler, beaters
- Gift box size: 310\*210\*170mm
- Meas(Qty/Ctn): 635\*435\*360mm 8pcs
- Loading Qty:  
2512pcs/20ft;5016pcs/40ft;5696pcs/40HQ

**Hand mixer**

LH-920



LH-920A

**BASIC FEATURES:**

- 300W/ 110~120V/220~240V, 50/60Hz
- 10 speed with turbo function
- 5530 motor
- Stainless steel and plastic mixer body
- A pair of chromed beaters and dough hook(SUS304 optional)190mm length
- Customized colors
- Storage base option
- Gift box size: 200\*100\*170mm
- Meas(Qty/Ctn): 525\*415\*360mm 20pcs
- Loading Qty: 7140pcs/20ft; 14780pcs/40ft;  
17340pcs/40HQ



LH-921



LH-921A

**BASIC FEATURES:**

- 400W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5535 motor
- Plastic mixer body
- A pair of chromed beaters and dough hook(SUS304 optional)198mm length
- Customized colors
- Gift box size: 203\*95\*180mm
- Meas(Qty/Ctn): 500\*420\*380mm 20pcs
- Loading Qty: 8020pcs/20ft; 14540pcs/40ft;  
17040pcs/40HQ

**BASIC FEATURES:**

- 400W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5535 motor
- Plastic/chromed mixer body optional
- A pair of chromed beaters and dough hook(SUS304 optional)198mm length
- Customized colors
- 2.5L plastic bowl/stainless steel bowl options
- Gift box size:338\*220\*215mm
- Meas(Qty/Ctn):675\*353\*450mm 6pcs
- Loading Qty: 1566pcs/20ft; 3246pcs/40ft;  
13804pcs/40HQ



LH-936



LH-936A



LH-960

**BASIC FEATURES:**

- 150~200W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5515/5520 motor
- Plastic mixer body
- A pair of chromed beaters and dough hook(-SUS304 optional)175mm length
- Customized colors
- Gift box size: 180\*85\*150mm
- Meas(Qty/Ctn): 445\*385\*340mm 20pcs
- Loading Qty: 9620pcs/20ft; 19920pcs/40ft; 23340pcs/40HQ



LH-960A



LH-961



LH-961A

**BASIC FEATURES:**

- 400W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5535 motor
- Stainless steel and plastic mixer body
- A pair of chromed beaters and dough hook(-SUS304 optional)205mm length
- Customized colors
- 4L stainless steel bowl options
- Gift box size: 335\*220\*230mm
- Meas(Qty/Ctn): 680\*350\*480mm 6pcs
- Loading Qty: 1470pcs/20ft; 3048pcs/40ft; 3570pcs/40HQ

**BASIC FEATURES:**

- 400W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5535 motor
- Stainless steel and plastic mixer body
- A pair of chromed beaters and dough hook(-SUS304 optional)198mm length
- Customized colors
- Storage base optional
- Gift box size: 210\*150\*160mm
- Meas(Qty/Ctn): 645\*465\*340mm 18pcs
- Loading Qty: 4950pcs/20ft; 10242pcs/40ft; 12006pcs/40HQ

**BASIC FEATURES:**

- 400W/ 110~120V/220~240V, 50/60Hz
- 5 speed with turbo function
- 5535 motor
- Stainless steel and plastic mixer body
- A pair of chromed beaters and dough hook(-SUS304 optional)205mm length
- Customized colors
- 4L stainless steel bowl optional
- Gift box size: 335\*220\*230mm
- Meas(Qty/Ctn): 680\*350\*480mm 6pcs
- Loading Qty: 1470pcs/20ft; 3048pcs/40ft; 3570pcs/40HQ

# Hand Blender



LH-521S

**BASIC FEATURES:**

- 400W 7712 DC motor/110-120V/220-240V, 50/60Hz
- ABS plastic housing
- One button press to start
- Anti-splashing design with stirring not splash
- 304 stainless steel blade, innovative fine
- Rapid rotation completely shattered
- Portable and noiseless



LH-521

- Multifunctional design(600ml beaker, 500ml minced meat , egg beater, milk frother accessory)
- Gift box size: 75\*75\*400mm(LH-521)/ 385\*140\*265mm(LH-521S)
- Meas(Qty/Ctn): 475\*320\*420mm 24pcs(LH-521) 725\*400\*550mm 10pcs(LH-521S)
- Loading Qty: 11178pcs/20ft; 22355pcs/40ft; 24484pcs/40HQ(LH-521)  
1864PCS/20ft; 3728pcs/40ft; 4083pcs/40HQ(LH-521S)



LH-522S

**BASIC FEATURES:**

- 700W 7812 DC motor/110-120V/220-240V, 50/60Hz
- Stainless steel housing
- Two speed SS 4 pin blade
- Anti-splashing design with stirring not splash
- 304 stainless steel blade, innovative fine
- Rapid rotation completely shattered
- Portable and noiseless



LH-522

- Optional stepless speed regulation
- Multifunctional design(600ml beaker, 500ml minced meat , egg beater, milk frother accessory)
- Gift box size: 65\*65\*380mm(LH-522)/ 385\*145\*265mm(LH-522S)
- Meas(Qty/Ctn): 415\*280\*400mm 24pcs(LH-522) 725\*400\*550mm 10pcs(LH-522S)
- Loading Qty: 15352pcs/20ft; 30705pcs/40ft; 33629pcs/40HQ(LH-522)  
1864pcs/20ft; 3728pcs/40ft; 4083pcs/40HQ(LH-522S)

**BASIC FEATURES:**

- 400W 5512 DC motor/110-120V/220-240V, 50/60Hz
- ABS plastic housing
- Two speed SS 4 pin blade
- Anti-splashing design with stirring not splash
- 304 stainless steel blade, innovative fine
- Rapid rotation completely shattered
- Portable and noiseless



LH-523



LH-523S

- Multifunctional design(600ml beaker, 500ml minced meat , egg beater, milk frother accessory)
- Gift box size: 72\*72\*365mm(LH-523)/ 325\*195\*165mm(LH-523S)
- Meas(Qty/Ctn): 385\*310\*385mm 20pcs(LH-523) 600\*465\*350mm 12pcs(LH-523S)
- Loading Qty: 12941pcs/20ft; 25883pcs/40ft; 28348pcs/40HQ(LH-523)  
3654pcs/20ft; 7308pcs/40ft; 8003pcs/40HQ(LH-523S)



LH-537



LH-537S

- Multifunctional design(600ml beaker, 500ml minced meat , egg beater, milk frother accessory)
- Gift box size: 70\*70\*365mm(LH-537)/ 390\*145\*270mm(LH-537S)
- Meas(Qty/Ctn): 375\*300\*385mm 20pcs(LH-537) 795\*455\*560mm 12pcs(LH-537S)
- Loading Qty: 13729pcs/20ft; 27459pcs/40ft; 30074pcs/40HQ(LH-537)  
1761pcs/20ft; 3523pcs/40ft; 3858pcs/40HQ(LH-537S)